·		
	Application No.	Applicant(s)
Madia - CAH LING	10/743,994	MOCHIDA ET AL.
Notice of Allowability	Examiner	Art Unit
	Andy S. Rao	2613
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-7</u> .		
3.  The drawings filed on 22 December 2003 are accepted by the Examiner.		
4.  Acknowledgment is made of a claim for foreign priority una   a)  All b)  Some* c)  None of the:  1.  Certified copies of the priority documents have   2.  Certified copies of the priority documents have   3.  Copies of the certified copies of the priority documents have   International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE"   noted below. Failure to timely comply will result in ABANDONM   THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  5.  A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give	been received.  been received in Application No cuments have been received in this in this in this communication to file a reply of this communication.  ENT of this application.	national stage application from the complying with the requirements
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
• . • • • .		·
<ul> <li>Attachment(s)</li> <li>1. ☐ Notice of References Cited (PTO-892)</li> <li>2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 12/22/2003</li> <li>4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	6.	e

Application/Control Number: 10/743,994

Art Unit: 2613

## Allowable Subject Matter

1. Claims 1-7 are allowed.

Independent claim 1 recites "...an expansion substrate connected to said main substrate so that it can be disconnected freely, and having an expansion processing circuit, which performs predetermined expansion processing on the endoscopic images subjected to the basic processing by said basic processing circuit, mounted thereon, wherein said expansion substrate has an identification data memory circuit, in which identification data used to identify said expansion substrate is stored, mounted thereon; and 'said main substrate has a control circuit, which controls the contents of expansion processing to be performed using said expansion substrate according to the identification data read from said identification data memory circuit, mounted thereon..." which is a feature that is not anticipated nor obvious over the art of record.

Dependent claims 2-7 are allowed for the reasons concerning claim 1.

## Conclusion

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andy S. Rao whose telephone number is (703)-305-4813. The examiner can normally be reached on Monday-Friday 8 hours.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris S. Kelley can be reached on (703)-305-4856. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/743,994

Art Unit: 2613

Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Andy S. Rao Primary Examiner Art Unit 2613

asr September 24, 2004 PRIMATE EXAMINER